

PODATKI O KANDIDATU

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
IME kandidata	PRIIMEK kandidata	DATUM rojstva	NASLOV stalnega prebivališča

ZAPOSLOTITVE

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

Raba angleškega jezika za opis opravlja izvira iz določila 66.A.20(b), ki pravi, da imetnik licence za vzdrževanje zrakoplova ne sme izvajati svojih pravic, če ni sposoben do ravni razumevanja brati, pisati in komunicirati v jezikih, v katerih so tehnična dokumentacija in postopki, potrebni za spremljanje izdaje potrdila o sprostitev v uporabo.

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
1				06	Perform symmetry check.			
2				06	Locate component's by station number.			
3				07	Assist in : Jack aircraft nose or tail wheel.			
4				07	Assist in : Jack complete aircraft.			
5				07	Assist in : Sling or trestle major component.			
6				08	Check aircraft against equipment list.			
7				08	Level aircraft.			
8				08	Weigh aircraft.			
9				08	Prepare weight and balance amendment.			
10				09	Tow aircraft.			
11				09	Be part of aircraft towing team.			
12				10	Position aircraft in dock.			
13				10	Park, secure and cover aircraft.			
14				10	Tie down aircraft.			
15				11	Check aircraft for correct markings.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
16				11	Check aircraft for correct placards.			
17				12	Defuel aircraft.			
18				12	Check hydraulic fluid level.			
19				12	Check tire pressures.			
20				12	Check oil level.			
21				12	Check accumulator pressure.			
22				12	Grease aircraft.			
23				12	Connect ground power.			
24				12	Service toilet/water system.			
25				12	Perform pre-flight/daily check.			
26				12	Refuel aircraft.			
27				12	AMC145.A.30g.2q Removal / closure of panels, cowls or covers.			
28				12	Charge pneumatic system.			
29				12	Charge oleo.			
30				12	Windows & transparencies cleaning and polishing			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
31				20	Application of one / two component sealers and compounds			
32				21	Replace pressurization controller.			
33				21	Troubleshoot faulty system.			
34				21	Check operation of pressurization system.			
35				21	Clean outflow valves.			
36				21	Replace heat exchanger.			
37				21	Replace cabin blower.			
38				21	Replace air cycle unit.			
39				21	Replace vapor cycle unit.			
40				21	Replace outflow valve.			
41				21	Replace combustion heater.			
42				21	Check operation of air conditioning/heating system.			
43				22	Replace amplifier.			
44				22	Check stability augmentation system.			
45				22	Check flight management systems.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
46				22	Check auto land system.			
47				22	Troubleshoot faulty system.			
48				22	Perform mach trim functional check.			
49				22	Check and adjust servo clutch.			
50				22	Check operation of yaw damper.			
51				22	Check operation of auto-pilot.			
52				22	Replace controller.			
53				22	Rig bridle cables.			
54				22	Install servos.			
55				22	Check operation of auto-throttle.			
56				23	Check operation of radios.			
57				23	Replace static discharge wicks.			
58				23	Replace existing antenna.			
59				23	Replace VHF com unit.			
60				24	Replace generator/alternator.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
61				24	AMC145.A.30g.2m Replace aircraft main and APU aircraft batteries.			
62				24	Charge lead/acid battery.			
63				24	Generator power check / voltage adjustment.			
64				24	Implement ESD procedures.			
65				24	Operational check of ground power.			
66				25	Check ELT for compliance with regulations.			
67				25	Replace crew seats.			
68				25	Check emergency equipment.			
69				25	Replace passenger seats.			
70				25	Check seats/belts for security.			
71				25	Change cabin configuration.			
72				25	Check inertia reels.			
73				25	Repair upholstery.			
74				25	AMC145.A.30g.2c Replace emergency equipment.			
75				25	Repair toilet waste container.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
76				25	Replace carpets.			
77				26	Check fire bottle contents.			
78				26	Inspect engine fire wire detection systems.			
79				26	Troubleshoot faulty system.			
80				26	Replace fire bottle squib.			
81				26	Install new fire bottle.			
82				26	Check lavatory smoke detector system.			
83				26	Check operation of warning system.			
84				26	Check cabin fire extinguisher contents.			
85				27	Replace aileron.			
86				27	Replace flap actuator.			
87				27	Adjust trim tab.			
88				27	Adjust control cable tension.			
89				27	Check control range and sense of movement.			
90				27	Check for correct assembly and locking.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
91				27	Troubleshoot faulty system.			
92				27	Replace powered flying control unit.			
93				27	Replace flaps.			
94				27	Install control cable and fittings.			
95				27	Flight control rigging.			
96				27	Replace elevator.			
97				27	Replace horizontal stabilizer.			
98				27	Replace rudder.			
99				27	Replace trim tabs.			
100				28	Troubleshoot faulty system.			
101				28	Check operation feed/selectors.			
102				28	Check calibration of fuel quantity gauges.			
103				28	Check fuel system.			
104				28	Check filters.			
105				28	Replace fuel tank cells.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
106				28	Replace fuel selector.			
107				28	Replace booster pump.			
108				29	Troubleshoot faulty system.			
109				29	Perform functional checks.			
110				29	Check indicating systems.			
111				29	Check operation of shut off valve.			
112				29	Replace accumulator.			
113				29	Hydraulic pump inspection.			
114				29	Replace engine driven pump.			
115				29	Hydraulic system component change.			
116				29	Hydraulic reservoir inspection, fluid replenishment and recharging.			
117				29	Check filters.			
118				29	Change hydraulic actuator.			
119				29	Replace standby pump.			
120				30	Replace pump.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
121				30	AMC145.A.30g.2f Replace windscreen wiper blades.			
122				30	Troubleshoot faulty system.			
123				30	Check operation of systems.			
124				30	Replace timer.			
125				30	Install wiper motor.			
126				31	Troubleshoot faulty system.			
127				31	Replace flight data recorder.			
128				31	Inspect for HIRF requirements.			
129				31	Implement ESDS procedures.			
130				31	Replace master caution unit.			
131				31	Replace cockpit voice recorder.			
132				31	Replace clock.			
133				32	Test anti skid unit.			
134				32	Replace nose/tail wheel.			
135				32	Charge struts.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
136				32	Troubleshoot faulty system.			
137				32	Adjust micro switches.			
138				32	Test out brake system.			
139				32	Change bungees.			
140				32	Test gear retraction.			
141				32	Build up wheel.			
142				32	Replace brake control valve.			
143				32	Replace brake unit.			
144				32	Replace shock strut seals.			
145				32	Replace shimmy damper.			
146				32	Replace main wheel.			
147				32	Bleed brakes.			
148				32	Rig nose wheel steering.			
149				33	Repair/replace interior lights.			
150				33	Repair/replace emergency lighting system.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
151				33	Perform emergency lighting system checks.			
152				33	Repair/replace landing lights.			
153				33	Repair/replace rotating beacon.			
154				33	Repair/replace navigation lights.			
155				34	Compass replacement direct/indirect.			
156				34	Compass / Standby Compass compensation swing and calculation.			
157				35	Troubleshoot faulty system.			
158				35	Purge and recharge oxygen system.			
159				35	Replace regulator.			
160				35	Replace oxygen generator.			
161				35	Perform auto oxygen system deployment check.			
162				35	Test crew oxygen system.			
163				35	Inspect on board oxygen equipment.			
164				36	Recharge desiccator.			
165				36	Troubleshoot faulty system.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
166				36	Adjust regulator.			
167				36	Replace compressor.			
168				36	Replace filter.			
169				36	Check for leaks.			
170				37	Replace vacuum pump.			
171				37	Check/replace filters.			
172				37	Adjust regulator.			
173				37	Troubleshoot faulty system.			
174				38	Replace tap.			
175				38	Replace water pump.			
176				38	Replace toilet pump.			
177				38	Troubleshoot faulty system.			
178				45	Retrieve data from CMU.			
179				45	Replace CMU.			
180				45	Perform Bite check.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
181				45	Troubleshoot faulty system.			
182				51	Fiber glass repair.			
183				51	Replacement of door seals.			
184				51	Apply protective treatment.			
185				51	Treat corrosion.			
186				51	Recover fabric control surface.			
187				51	Wooden repair.			
188				51	Sheet metal repair.			
189				51	Fabric repair.			
190				52	Adjust air stair system.			
191				52	Troubleshoot faulty system.			
192				52	Rig/adjust locking mechanism.			
193				52	Check operation of emergency exits.			
194				52	Test door warning system.			
195				56	Replace windshield.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
196				56	Replace window.			
197				56	Repair transparency.			
198				57	Skin repair.			
199				57	Recover fabric wing.			
200				57	Replace tip.			
201				57	Replace rib.			
202				57	Check incidence/rig.			
203				61	Check operation during ground run.			
204				61	Troubleshoot faulty system.			
205				61	Dynamically balance prop.			
206				61	Dress out blade damage.			
207				61	Assemble prop after transportation.			
208				61	Perform static functional checks.			
209				61	Adjust governor.			
210				61	Replace governor.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
211				61	Replace propeller.			
212				61	Check track.			
213				61	Check setting of micro switches.			
214				71	Repair cooling baffles.			
215				71	Troubleshoot.			
216				71	Repair cowling.			
217				71	Replace engine.			
218				71	Build up ECU.			
219				71	Adjust cowl flaps.			
220				72 p	Perform ground run.			
221				72 p	Establish/check reference RPM.			
222				72 p	Install helicoil.			
223				72 p	Check compression.			
224				72 p	Check tappet clearance.			
225				72 p	Check crankshaft run-out.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
226				72 p	Remove/install reduction gear.			
227				72 p	Extract broken stud.			
228				72 p	Troubleshoot.			
229				73	Rig engine thrust lever			
230				73 p	Adjust carburetor/injector.			
231				73 p	Troubleshoot faulty system.			
232				73 p	Check carburetor float setting.			
233				73 p	Clean injector nozzles.			
234				73 p	Install carburetor/injector.			
235				73 p	Adjust ABC.			
236				73 p	Adjust AMC.			
237				73 p	Replace engine driven pump.			
238				73 p	Replace primer line.			
239				74 p	Check timing.			
240				74 p	Install new leads.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
241				74 p	Troubleshoot faulty system.			
242				74 p	Check H.T. leads.			
243				74 p	Test plugs.			
244				74 p	Change magneto.			
245				74 p	Change ignition vibrator.			
246				74 p	Change plugs.			
247				74 p	Check system bonding.			
248				76	Check controls for correct assembly and locking.			
249				76	Troubleshoot faulty system.			
250				76	Check controls for range and sense of operation.			
251				76	Check control sync (multi-eng).			
252				76	Rig power lever.			
253				76	Rig mixture HP cock lever.			
254				76	Rig RPM control.			
255				76	Rig thrust lever.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
256				76	Adjust pedestal micro-switches.			
257				77	Troubleshoot faulty system.			
258				77	Replace engine instruments.			
259				77	Replace oil temperature bulb.			
260				77	Check calibration.			
261				78 p	Inspect welded repair.			
262				78 p	Replace exhaust gasket.			
263				78 p	Troubleshoot faulty system.			
264				78 p	Pressure check cabin heater muff.			
265				79	Perform oil dilution.			
266				79	Troubleshoot faulty system.			
267				79	Replace firewall shut off valve.			
268				79	Replace oil cooler.			
269				79	Replace oil pump.			
270				79	Replace oil tank.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
271				79	Adjust pressure relief valve.			
272				79	Check filters.			
273				79	Change oil.			
274				80	Replace start relay.			
275				80	Replace start control valve.			
276				80	Check cranking speed.			
277				80	Troubleshoot faulty system.			
278				80	Replace starter.			
279				81	Replace PRT.			
280				81	Adjust density controller.			
281				81	Replace waste gate.			
282				81	Replace turbo-blower.			
283				81	Replace heat shields.			
284				83	Replace gearbox.			
285				83	Replace drive shaft.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
286				83	Check chip detector.			
287				M 7. 1	Safety precautions when using fluids, gasses and chemicals.			
288				M 7. 6	Related safety practices.			
289				M 7.17	Awareness of hazards when working with A/C - noise,heat,moving surfaces,propellers,intakes,exhausts.			
290				M 7.18	Cleaning and contamination control			
291				M 7.19	Carry out turbulence check.			
292				M 7.20	Certification / release procedure.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis

Primer pravilno izpolnjene vrstice

datum izvedbe	tip zrakoplova	registerska oznaka	ATA 100	kratek opis izvedene naloge	način dela	tip vzdr. nadzornika	podpis nadzornika
29.02.04	MG-21	S5-ZIJ	20	Composite structure inspection with coin tapping	I	B	Novak

20 - poglavje ATA 100

M7 - Part 66 modul

I - izvedba

O - opazovanje

L - linijsko vzdrževanje

B - vzdrževanje v bazi

OPOMBA:
Vsebina dnevnika je skladna z AMC 66.A.20(b)2.

podpis kandidata: