

PODATKI O KANDIDATU

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
IME kandidata	PRIIMEK kandidata	DATUM rojstva	NASLOV stalnega prebivališča

ZAPOSLOTITVE

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

Raba angleškega jezika za opis opravlja izvira iz določila 66.A.20(b), ki pravi, da imetnik licence za vzdrževanje zrakoplova ne sme izvajati svojih pravic, če ni sposoben do ravni razumevanja brati, pisati in komunicirati v jezikih, v katerih so tehnična dokumentacija in postopki, potrebni za spremljanje izdaje potrdila o sprostitvi v uporabo.

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratak opis opravila	način dela	tip vzdr.	podpis nadzornika
1				05	Review records for compliance with airworthiness directives.			
2				05	100 hour check (general aviation aircraft).			
3				05	Review records for compliance with component life limits.			
4				05	Procedure for Inspection following heavy landing.			
5				05	Procedure for Inspection following lightning strike.			
6				06	Perform symmetry check.			
7				06	Locate component's by station number.			
8				07	Assist in : Sling or trestle major component.			
9				07	Assist in : Jack complete aircraft.			
10				07	Assist in : Jack aircraft nose or tail wheel.			
11				08	Level aircraft.			
12				08	Check aircraft against equipment list.			
13				08	Weigh aircraft.			
14				08	Prepare weight and balance amendment.			
15				09	Be part of aircraft towing team.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
16				09	Tow aircraft.			
17				10	Tie down aircraft.			
18				10	Secure rotor blades.			
19				10	Park, secure and cover aircraft.			
20				10	Position aircraft in dock.			
21				11	Check aircraft for correct placards.			
22				11	Check aircraft for correct markings.			
23				12	Refuel aircraft.			
24				12	Perform pre-flight/daily check.			
25				12	Connect ground power.			
26				12	Grease aircraft.			
27				12	Charge pneumatic system.			
28				12	Check accumulator pressure.			
29				12	Check hydraulic fluid level.			
30				12	Check oil level.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
31				12	Check tire pressures.			
32				12	AMC145.A.30g.2q Removal / closure of panels, cowls or covers.			
33				12	Defuel aircraft.			
34				12	Windows & transparencies cleaning and polishing			
35				12	Charge oleo.			
36				18	Analyze helicopter vibration problem.			
37				22	Install servos.			
38				23	Check operation of radios.			
39				23	Replace static discharge wicks.			
40				23	Replace existing antenna.			
41				24	Repair/replace electrical feeder cable.			
42				24	Troubleshoot faulty system.			
43				24	Replace switches.			
44				24	Charge lead/acid battery.			
45				24	Charge Ni-Cad battery.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
46				24	Deep-cycle Ni-Cad battery.			
47				24	Check battery capacity.			
48				24	Replace circuit breakers.			
49				24	AMC145.A.30g.2m Replace aircraft main and APU aircraft batteries.			
50				24	Generator power check / voltage adjustment.			
51				24	Operational check of ground power.			
52				24	Replace generator/alternator.			
53				25	Replace passenger seats.			
54				25	Change cabin configuration.			
55				25	Repair upholstery.			
56				25	Check emergency equipment.			
57				25	Check inertia reels.			
58				25	Replace crew seats.			
59				25	Check seats/belts for security.			
60				25	AMC145.A.30g.2c Replace emergency equipment.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
61				26	Check fire bottle contents.			
62				26	Inspect engine fire wire detection systems.			
63				26	Troubleshoot faulty system.			
64				26	Replace fire bottle squib.			
65				26	Install new fire bottle.			
66				26	Check cabin fire extinguisher contents.			
67				26	Check operation of warning system.			
68				27	Replace horizontal stabilizer.			
69				27	Flight control rigging.			
70				28	Fuel quantity indicating system functional testing.			
71				28	Troubleshoot faulty system.			
72				28	Replace fuel tank cells.			
73				28	Check operation feed/selectors.			
74				28	Check filters.			
75				28	Check fuel system.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
76				28	Check calibration of fuel quantity gauges.			
77				28	Replace booster pump.			
78				29	Check filters.			
79				29	Troubleshoot faulty system.			
80				29	Check indicating systems.			
81				29	Check operation of shut off valve.			
82				29	Replace accumulator.			
83				29	Replace engine driven pump.			
84				29	Change hydraulic actuator.			
85				29	Hydraulic reservoir inspection, fluid replenishment and recharging.			
86				29	Hydraulic system component change.			
87				29	Hydraulic pump inspection.			
88				29	Perform functional checks.			
89				30	AMC145.A.30g.2f Replace windscreen wiper blades.			
90				30	Install wiper motor.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
91				30	Check operation of systems.			
92				32	Build up wheel.			
93				32	Charge struts.			
94				32	Test out brake system.			
95				32	Troubleshoot faulty system.			
96				32	Adjust micro switches.			
97				32	Bleed brakes.			
98				32	Replace main wheel.			
99				32	Replace brake unit.			
100				33	Perform emergency lighting system checks.			
101				33	Repair/replace rotating beacon.			
102				33	Repair/replace landing lights.			
103				33	Repair/replace navigation lights.			
104				33	Repair/replace interior lights.			
105				33	Repair/replace emergency lighting system.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
106				33	Troubleshoot faulty system.			
107				34	Compass replacement direct/indirect.			
108				34	Check GPS.			
109				34	Replace altimeter.			
110				34	Replace VOR unit.			
111				34	Check pitot static system for leaks.			
112				34	Functional check inertial NAV system.			
113				34	Troubleshoot faulty system.			
114				34	Check Sat Com.			
115				34	Compass / Standby Compass compensation swing and calculation.			
116				34	Replace airspeed indicator.			
117				34	Check calibration of pressure altitude reporting system.			
118				34	Removal / installation of pitot static instruments.			
119				36	Check for leaks.			
120				49	Troubleshoot faulty system.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
121				49	Inspect hot section.			
122				49	Install APU.			
123				51	Replacement of door seals.			
124				51	Fiber glass repair.			
125				51	Treat corrosion.			
126				51	Sheet metal repair.			
127				51	Apply protective treatment.			
128				52	Check operation of emergency exits.			
129				52	Test door warning system.			
130				52	Troubleshoot faulty system.			
131				52	Rig/adjust locking mechanism.			
132				56	Replace windshield.			
133				56	Replace window.			
134				56	Repair transparency.			
135				62	Troubleshoot.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
136				62	Install rotor assembly.			
137				62	Check dynamic balance.			
138				62	Replace blades.			
139				62	Replace damper assembly.			
140				62	Check track.			
141				62	Check static balance.			
142				63	Replace mast.			
143				63	Replace drive coupling.			
144				63	Install main gearbox.			
145				63	Overhaul main gearbox.			
146				63	Check gearbox chip detectors.			
147				63	Removal / refit transmission drive shaft.			
148				64	Troubleshoot.			
149				64	Install rotor assembly.			
150				64	Replace blades.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
151				65	Check chip detectors.			
152				65	Replace bevel gearbox.			
153				65	Overhaul bevel gearbox.			
154				67	Troubleshoot faulty system.			
155				67	Rig collective system.			
156				67	Check controls for assembly and locking.			
157				67	Install swash plate.			
158				67	Rig anti-torque system.			
159				67	Check controls for operation and sense.			
160				67	Rig cyclic system.			
161				67	Adjust pitch links.			
162				67	Install mixing box.			
163				71	Troubleshoot.			
164				71	Build up ECU.			
165				71	Replace engine.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
166				71	Repair cooling baffles.			
167				71	Repair cowling.			
168				71	Adjust cowl flaps.			
169				71	Repair faulty wiring.			
170				72 t	Trend monitoring / gas path analysis.			
171				72 t	Replace module.			
172				72 t	Troubleshoot.			
173				72 t	Hot section inspection.			
174				73 t	Troubleshoot faulty system.			
175				73 t	Replace engine driven pump.			
176				73 t	Clean/replace filters.			
177				74 t	Check ignition unit.			
178				74 t	Replace ignition unit.			
179				74 t	Check H.T. leads.			
180				74 t	Check glow plugs / igniters.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
181				74 t	Troubleshoot faulty system.			
182				76	Rig RPM control.			
183				77	Troubleshoot faulty system.			
184				77	Replace engine instruments.			
185				77	Replace oil temperature bulb.			
186				77	Check calibration.			
187				77	Replace thermocouples.			
188				78 t	Change jet pipe.			
189				78 t	Change shroud assembly.			
190				79	Troubleshoot faulty system.			
191				79	Change oil.			
192				79	Check filters.			
193				79	Replace oil pump.			
194				79	Replace firewall shut off valve.			
195				80	Troubleshoot faulty system.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
196	<input type="text"/>	<input type="text"/>	<input type="text"/>	80	Replace starter.	<input type="text"/>	<input type="text"/>	<input type="text"/>
197	<input type="text"/>	<input type="text"/>	<input type="text"/>	80	Check cranking speed.	<input type="text"/>	<input type="text"/>	<input type="text"/>

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika

Primer pravilno izpolnjene vrstice

datum izvedbe	tip zrakoplova	registerska oznaka	ATA 100	kratek opis izvedene naloge	način dela	tip vzdr.	podpis nadzornika
29.02.04	MG-21	S5-ZIJ	20	Composite structure inspection with coin tapping	I	B	Novak

20 - poglavje ATA 100

M7 - Part 66 modul

I - izvedba

O - opazovanje

L - linijsko vzdrževanje

B - vzdrževanje v bazi

OPOMBA:
Vsebina dnevnika je skladna z AMC 66.A.20(b)2.

podpis kandidata: