

## PODATKI O KANDIDATU

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
IME kandidata	PRIIMEK kandidata	DATUM rojstva	NASLOV stalnega prebivališča

## ZAPOSLOTITVE

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

Raba angleškega jezika za opis opravlja izvira iz določila 66.A.20(b), ki pravi, da imetnik licence za vzdrževanje zrakoplova ne sme izvajati svojih pravic, če ni sposoben do ravni razumevanja brati, pisati in komunicirati v jezikih, v katerih so tehnična dokumentacija in postopki, potrebni za spremljanje izdaje potrdila o sprostitvi v uporabo.

podpis kandidata:
-------------------

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratak opis opravila	način dela	tip vzdr.	podpis nadzornika
1				05	Review records for compliance with airworthiness directives.			
2				05	Review records for compliance with component life limits.			
3				05	100 hour check (general aviation aircraft).			
4				05	Procedure for Inspection following lightning strike.			
5				05	Procedure for Inspection following heavy landing.			
6				06	Perform symmetry check.			
7				06	Locate component's by station number.			
8				07	Assist in : Sling or trestle major component.			
9				07	Assist in : Jack aircraft nose or tail wheel.			
10				07	Assist in : Jack complete aircraft.			
11				08	Check aircraft against equipment list.			
12				08	Prepare weight and balance amendment.			
13				08	Weigh aircraft.			
14				08	Level aircraft.			
15				09	Be part of aircraft towing team.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
16				09	Tow aircraft.			
17				10	Secure rotor blades.			
18				10	Park, secure and cover aircraft.			
19				10	Tie down aircraft.			
20				10	Position aircraft in dock.			
21				11	Check aircraft for correct markings.			
22				11	Check aircraft for correct placards.			
23				12	Check accumulator pressure.			
24				12	Perform pre-flight/daily check.			
25				12	Defuel aircraft.			
26				12	Service toilet/water system.			
27				12	Refuel aircraft.			
28				12	Connect ground power.			
29				12	Grease aircraft.			
30				12	Check oil level.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
31				12	Charge pneumatic system.			
32				12	Check hydraulic fluid level.			
33				12	Check tire pressures.			
34				12	Windows & transparencies cleaning and polishing			
35				12	AMC145.A.30g.2q Removal / closure of panels, cowls or covers.			
36				12	Charge oleo.			
37				18	Analyze helicopter vibration problem.			
38				18	Analyze noise spectrum.			
39				20	Application of one / two component sealers and compounds			
40				21	Replace outflow valve.			
41				21	Replace cabin blower.			
42				21	Replace air cycle unit.			
43				21	Replace pressurization controller.			
44				21	Clean outflow valves.			
45				21	Check operation of air conditioning/heating system.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
46				21	Check operation of pressurization system.			
47				21	Troubleshoot faulty system.			
48				21	Replace vapor cycle unit.			
49				21	Replace heat exchanger.			
50				21	Replace combustion heater.			
51				22	Install servos.			
52				22	Check flight management systems.			
53				22	Check auto land system.			
54				22	Troubleshoot faulty system.			
55				22	Perform mach trim functional check.			
56				22	Check and adjust servo clutch.			
57				22	Check operation of yaw damper.			
58				22	Check operation of auto-throttle.			
59				22	Check operation of auto-pilot.			
60				22	Replace amplifier.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
61				22	Rig bridle cables.			
62				22	Check stability augmentation system.			
63				22	Replace controller.			
64				23	Replace HF com unit.			
65				23	Replace existing antenna.			
66				23	Functionally check audio integrating system.			
67				23	Replace static discharge wicks.			
68				23	Check operation of radios.			
69				23	Perform Selective Cal operational check.			
70				23	Replace VHF com unit.			
71				23	Perform operational check of passenger address system.			
72				24	Replace generator/alternator.			
73				24	AMC145.A.30g.2m Replace aircraft main and APU aircraft batteries.			
74				24	Operational check of ground power.			
75				25	Replace crew seats.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
76				25	AMC145.A.30g.2c Replace emergency equipment.			
77				25	Repair upholstery.			
78				25	Repair toilet waste container.			
79				25	Replace carpets.			
80				25	Check ELT for compliance with regulations.			
81				25	Check emergency equipment.			
82				25	Check seats/belts for security.			
83				25	Change cabin configuration.			
84				25	Replace passenger seats.			
85				25	Check inertia reels.			
86				26	Check cabin fire extinguisher contents.			
87				26	Check lavatory smoke detector system.			
88				26	Install new fire bottle.			
89				26	Troubleshoot faulty system.			
90				26	Inspect engine fire wire detection systems.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
91				26	Check operation of warning system.			
92				26	Replace fire bottle squib.			
93				26	Check fire bottle contents.			
94				27	Flight control rigging.			
95				27	Replace horizontal stabilizer.			
96				28	Check filters.			
97				28	Troubleshoot faulty system.			
98				28	Check operation feed/selectors.			
99				28	Check fuel system.			
100				28	Replace fuel tank cells.			
101				28	Replace fuel selector.			
102				28	Check calibration of fuel quantity gauges.			
103				28	Replace booster pump.			
104				29	Replace engine driven pump.			
105				29	Hydraulic pump inspection.			

podpis kandidata:



zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
106				29	Perform functional checks.			
107				29	Check indicating systems.			
108				29	Check filters.			
109				29	Check operation of shut off valve.			
110				29	Replace standby pump.			
111				29	Hydraulic system component change.			
112				29	Troubleshoot faulty system.			
113				29	Hydraulic reservoir inspection, fluid replenishment and recharging.			
114				29	Change hydraulic actuator.			
115				29	Replace accumulator.			
116				30	Check operation of systems.			
117				30	Troubleshoot faulty system.			
118				30	Install wiper motor.			
119				30	AMC145.A.30g.2f Replace windscreen wiper blades.			
120				30	Replace pump.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
121				30	Replace timer.			
122				31	Perform FDR data retrieval.			
123				31	Implement ESDS procedures.			
124				31	Replace FDR.			
125				31	Replace clock.			
126				31	Replace cockpit voice recorder.			
127				31	Replace flight data recorder.			
128				31	Inspect for HIRF requirements.			
129				32	Test gear retraction.			
130				32	Bleed brakes.			
131				32	Troubleshoot faulty system.			
132				32	Charge struts.			
133				32	Change bungees.			
134				32	Test out brake system.			
135				32	Test anti skid unit.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
136				32	Replace brake unit.			
137				32	Replace shock strut seals.			
138				32	Rig nose wheel steering.			
139				32	Replace shimmy damper.			
140				32	Replace nose/tail wheel.			
141				32	Replace main wheel.			
142				32	Build up wheel.			
143				32	Adjust micro switches.			
144				32	Replace brake control valve.			
145				33	Repair/replace navigation lights.			
146				33	Perform emergency lighting system checks.			
147				33	Repair/replace interior lights.			
148				33	Repair/replace emergency lighting system.			
149				33	Repair/replace landing lights.			
150				33	Repair/replace rotating beacon.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
151				34	Compass replacement direct/indirect.			
152				34	Compass / Standby Compass compensation swing and calculation.			
153				35	Troubleshoot faulty system.			
154				35	Perform auto oxygen system deployment check.			
155				35	Test crew oxygen system.			
156				35	Replace oxygen generator.			
157				35	Replace regulator.			
158				35	Purge and recharge oxygen system.			
159				35	Inspect on board oxygen equipment.			
160				36	Adjust regulator.			
161				36	Recharge desiccator.			
162				36	Check for leaks.			
163				36	Troubleshoot faulty system.			
164				36	Replace compressor.			
165				36	Replace filter.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
166				37	Replace vacuum pump.			
167				37	Check/replace filters.			
168				37	Adjust regulator.			
169				37	Troubleshoot faulty system.			
170				38	Replace toilet pump.			
171				38	Troubleshoot faulty system.			
172				38	Replace tap.			
173				38	Replace water pump.			
174				45	Replace CMU.			
175				45	Perform Bite check.			
176				45	Retrieve data from CMU.			
177				51	Apply protective treatment.			
178				51	Sheet metal repair.			
179				51	Fiber glass repair.			
180				51	Treat corrosion.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
181				51	Replacement of door seals.			
182				52	Troubleshoot faulty system.			
183				52	Check operation of emergency exits.			
184				52	Rig/adjust locking mechanism.			
185				52	Test door warning system.			
186				52	Adjust air stair system.			
187				56	Replace windshield.			
188				56	Replace window.			
189				56	Repair transparency.			
190				62	Replace damper assembly.			
191				62	Troubleshoot.			
192				62	Check dynamic balance.			
193				62	Check track.			
194				62	Replace blades.			
195				62	Install rotor assembly.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
196				62	Check static balance.			
197				63	Check gearbox chip detectors.			
198				63	Replace mast.			
199				63	Removal / refit transmission drive shaft.			
200				63	Install main gearbox.			
201				63	Overhaul main gearbox.			
202				63	Replace drive belt.			
203				63	Replace drive coupling.			
204				63	Replace clutch/freewheel unit.			
205				64	Install rotor assembly.			
206				64	Replace blades.			
207				64	Troubleshoot.			
208				65	Overhaul bevel gearbox.			
209				65	Install drive assembly.			
210				65	Replace universal joints.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
211				65	Replace bevel gearbox.			
212				65	Check chip detectors.			
213				67	Rig cyclic system.			
214				67	Troubleshoot faulty system.			
215				67	Check controls for operation and sense.			
216				67	Rig anti-torque system.			
217				67	Rig collective system.			
218				67	Adjust pitch links.			
219				67	Install mixing box.			
220				67	Install swash plate.			
221				67	Check controls for assembly and locking.			
222				71	Build up ECU.			
223				71	Replace engine.			
224				71	Repair cooling baffles.			
225				71	Repair cowling.			

podpis kandidata:



zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
226				71	Adjust cowl flaps.			
227				71	Troubleshoot.			
228				72 p	Establish/check reference RPM.			
229				72 p	Troubleshoot.			
230				72 p	Check tappet clearance.			
231				72 p	Install helicoil.			
232				72 p	Check compression.			
233				72 p	Remove/install reduction gear.			
234				72 p	Check crankshaft run-out.			
235				72 p	Extract broken stud.			
236				72 p	Perform ground run.			
237				73 p	Clean injector nozzles.			
238				73 p	Troubleshoot faulty system.			
239				73 p	Replace primer line.			
240				73 p	Adjust carburetor/injector.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
241				73 p	Install carburetor/injector.			
242				73 p	Adjust ABC.			
243				73 p	Adjust AMC.			
244				73 p	Replace engine driven pump.			
245				73 p	Check carburetor float setting.			
246				74 p	Test plugs.			
247				74 p	Troubleshoot faulty system.			
248				74 p	Check system bonding.			
249				74 p	Check timing.			
250				74 p	Check H.T. leads.			
251				74 p	Change plugs.			
252				74 p	Change ignition vibrator.			
253				74 p	Change magneto.			
254				74 p	Install new leads.			
255				76	Rig RPM control.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
256				76	Rig mixture HP cock lever.			
257				76	Check control sync (multi-eng).			
258				76	Check controls for correct assembly and locking.			
259				76	Check controls for range and sense of operation.			
260				76	Adjust pedestal micro-switches.			
261				76	Troubleshoot faulty system.			
262				77	Check calibration.			
263				77	Replace thermocouples.			
264				77	Replace oil temperature bulb.			
265				77	Troubleshoot faulty system.			
266				77	Replace engine instruments.			
267				78 p	Inspect welded repair.			
268				78 p	Pressure check cabin heater muff.			
269				78 p	Troubleshoot faulty system.			
270				78 p	Replace exhaust gasket.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
271				79	Replace oil tank.			
272				79	Troubleshoot faulty system.			
273				79	Perform oil dilution.			
274				79	Replace firewall shut off valve.			
275				79	Replace oil pump.			
276				79	Adjust pressure relief valve.			
277				79	Check filters.			
278				79	Change oil.			
279				79	Replace oil cooler.			
280				80	Replace start relay.			
281				80	Troubleshoot faulty system.			
282				80	Replace start control valve.			
283				80	Replace starter.			
284				80	Check cranking speed.			
285				81	Replace PRT.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
286				81	Replace turbo-blower.			
287				81	Replace heat shields.			
288				81	Replace waste gate.			
289				81	Adjust density controller.			
290				M 7. 1	Safety precautions when using fluids, gasses and chemicals.			
291				M 7. 6	Related safety practices.			
292				M 7.17	Awareness of hazards when working with A/C - noise,heat,moving surfaces,propellers,intakes,exhausts.			
293				M 7.18	Cleaning and contamination control			
294				M 7.19	Carry out turbulence check.			
295				M 7.20	Certification / release procedure.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika

**Primer pravilno izpolnjene vrstice**

datum izvedbe	tip zrakoplova	registerska oznaka	ATA 100	kratek opis izvedene naloge	način dela	tip vzdr.	podpis nadzornika
29.02.04	MG-21	S5-ZIJ	20	Composite structure inspection with coin tapping	I	B	Novak

20 - poglavje ATA 100

M7 - Part 66 modul

I - izvedba

O - opazovanje

L - linijsko vzdrževanje

B - vzdrževanje v bazi

OPOMBA:  
Vsebina dnevnika je skladna z AMC 66.A.20(b)2.

podpis kandidata: