

PODATKI O KANDIDATU

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
IME kandidata	PRIIMEK kandidata	DATUM rojstva	NASLOV stalnega prebivališča

ZAPOSLOTITVE

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

<input type="text"/>	
NAZIV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	
SKLIC ODOBRITEV VZDRŽEVALNE ORGANIZACIJE	
<input type="text"/>	<input type="text"/>
DELO OD	DELO DO
<input type="text"/>	
DELO POTRJUJE (ime in priimek odgovorne osebe)	
<input type="text"/>	<input type="text"/>
DATUM potrditve	PODPIS odgovorne osebe

Raba angleškega jezika za opis opravlja izvira iz določila 66.A.20(b), ki pravi, da imetnik licence za vzdrževanje zrakoplova ne sme izvajati svojih pravic, če ni sposoben do ravni razumevanja brati, pisati in komunicirati v jezikih, v katerih so tehnična dokumentacija in postopki, potrebni za spremljanje izdaje potrdila o sprostitvi v uporabo.

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
1				05	Review records for compliance with airworthiness directives.			
2				05	Review records for compliance with component life limits.			
3				05	Procedure for Inspection following lightning strike.			
4				05	100 hour check (general aviation aircraft).			
5				05	Procedure for Inspection following heavy landing.			
6				06	Locate component's by station number.			
7				06	Perform symmetry check.			
8				07	Assist in : Jack aircraft nose or tail wheel.			
9				07	Assist in : Jack complete aircraft.			
10				07	Assist in : Sling or trestle major component.			
11				08	Prepare weight and balance amendment.			
12				08	Weigh aircraft.			
13				08	Check aircraft against equipment list.			
14				08	Level aircraft.			
15				09	Tow aircraft.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
16				09	Be part of aircraft towing team.			
17				10	Tie down aircraft.			
18				10	Park, secure and cover aircraft.			
19				10	Position aircraft in dock.			
20				11	Check aircraft for correct markings.			
21				11	Check aircraft for correct placards.			
22				12	Check hydraulic fluid level.			
23				12	Perform pre-flight/daily check.			
24				12	Service toilet/water system.			
25				12	Connect ground power.			
26				12	Grease aircraft.			
27				12	Check accumulator pressure.			
28				12	Check oil level.			
29				12	Check tire pressures.			
30				12	Defuel aircraft.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
31				12	Refuel aircraft.			
32				12	Windows & transparencies cleaning and polishing			
33				12	Charge oleo.			
34				12	Charge pneumatic system.			
35				12	AMC145.A.30g.2q Removal / closure of panels, cowls or covers.			
36				20	Application of one / two component sealers and compounds			
37				21	Replace outflow valve.			
38				21	Troubleshoot faulty system.			
39				21	Check operation of air conditioning/heating system.			
40				21	Clean outflow valves.			
41				22	Install servos.			
42				22	Troubleshoot faulty system.			
43				22	Check operation of auto-pilot.			
44				22	Replace amplifier.			
45				22	Rig bridle cables.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
46				22	Replace controller.			
47				23	Check operation of radios.			
48				23	Replace static discharge wicks.			
49				23	Replace existing antenna.			
50				23	Replace VHF com unit.			
51				24	AMC145.A.30g.2m Replace aircraft main and APU aircraft batteries.			
52				24	Charge lead/acid battery.			
53				24	Replace generator/alternator.			
54				24	Operational check of ground power.			
55				24	Generator power check / voltage adjustment.			
56				24	Implement ESD procedures.			
57				25	Replace passenger seats.			
58				25	Check inertia reels.			
59				25	Check emergency equipment.			
60				25	Check ELT for compliance with regulations.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
61				25	Check seats/belts for security.			
62				25	Replace crew seats.			
63				25	AMC145.A.30g.2c Replace emergency equipment.			
64				25	Replace carpets.			
65				26	Check fire bottle contents.			
66				26	Troubleshoot faulty system.			
67				26	Install new fire bottle.			
68				26	Check operation of warning system.			
69				26	Check cabin fire extinguisher contents.			
70				27	Adjust trim tab.			
71				27	Install control cable and fittings.			
72				27	Adjust control cable tension.			
73				27	Replace trim tabs.			
74				27	Check control range and sense of movement.			
75				27	Check for correct assembly and locking.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
76				27	Replace flap actuator.			
77				27	Troubleshoot faulty system.			
78				27	Replace flaps.			
79				27	Replace aileron.			
80				27	Replace elevator.			
81				27	Replace horizontal stabilizer.			
82				27	Flight control rigging.			
83				27	Replace rudder.			
84				27	Replace powered flying control unit.			
85				28	Replace booster pump.			
86				28	Troubleshoot faulty system.			
87				28	Check operation feed/selectors.			
88				28	Check calibration of fuel quantity gauges.			
89				28	Check fuel system.			
90				28	Check filters.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
91				28	Replace fuel tank cells.			
92				28	Replace fuel selector.			
93				29	Troubleshoot faulty system.			
94				29	Perform functional checks.			
95				29	Check indicating systems.			
96				29	Replace accumulator.			
97				29	Check operation of shut off valve.			
98				29	Hydraulic pump inspection.			
99				29	Replace engine driven pump.			
100				29	Change hydraulic actuator.			
101				29	Hydraulic system component change.			
102				29	Hydraulic reservoir inspection, fluid replenishment and recharging.			
103				29	Check filters.			
104				29	Replace standby pump.			
105				31	Replace clock.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr.	podpis nadzornika
106				31	Replace master caution unit.			
107				32	Change bungees.			
108				32	Test out brake system.			
109				32	Troubleshoot faulty system.			
110				32	Adjust micro switches.			
111				32	Test gear retraction.			
112				32	Bleed brakes.			
113				32	Replace brake control valve.			
114				32	Replace shock strut seals.			
115				32	Rig nose wheel steering.			
116				32	Replace shimmy damper.			
117				32	Replace nose/tail wheel.			
118				32	Replace main wheel.			
119				32	Build up wheel.			
120				32	Charge struts.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
121				32	Replace brake unit.			
122				33	Repair/replace interior lights.			
123				33	Perform emergency lighting system checks.			
124				33	Repair/replace emergency lighting system.			
125				33	Repair/replace navigation lights.			
126				33	Repair/replace landing lights.			
127				33	Repair/replace rotating beacon.			
128				34	Compass / Standby Compass compensation swing and calculation.			
129				34	Compass replacement direct/indirect.			
130				35	Inspect on board oxygen equipment.			
131				35	Troubleshoot faulty system.			
132				35	Perform auto oxygen system deployment check.			
133				35	Test crew oxygen system.			
134				35	Replace oxygen generator.			
135				35	Replace regulator.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
136				35	Purge and recharge oxygen system.			
137				36	Troubleshoot faulty system.			
138				36	Replace compressor.			
139				36	Recharge desiccator.			
140				36	Check for leaks.			
141				36	Replace filter.			
142				36	Adjust regulator.			
143				37	Replace vacuum pump.			
144				37	Check/replace filters.			
145				37	Adjust regulator.			
146				37	Troubleshoot faulty system.			
147				51	Sheet metal repair.			
148				51	Replacement of door seals.			
149				51	Apply protective treatment.			
150				51	Treat corrosion.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
151				51	Recover fabric control surface.			
152				51	Fabric repair.			
153				51	Fiber glass repair.			
154				51	Wooden repair.			
155				52	Rig/adjust locking mechanism.			
156				52	Troubleshoot faulty system.			
157				56	Replace window.			
158				56	Repair transparency.			
159				56	Replace windshield.			
160				57	Skin repair.			
161				57	Recover fabric wing.			
162				57	Replace tip.			
163				57	Replace rib.			
164				57	Check incidence/rig.			
165				61	Check setting of micro switches.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
166				61	Troubleshoot faulty system.			
167				61	Dynamically balance prop.			
168				61	Replace governor.			
169				61	Dress out blade damage.			
170				61	Check operation during ground run.			
171				61	Adjust governor.			
172				61	Assemble prop after transportation.			
173				61	Perform static functional checks.			
174				61	Check track.			
175				61	Replace propeller.			
176				71	Repair cowling.			
177				71	Adjust cowl flaps.			
178				71	Repair cooling baffles.			
179				71	Replace engine.			
180				71	Build up ECU.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
181				71	Troubleshoot.			
182				72 p	Check crankshaft run-out.			
183				72 p	Perform ground run.			
184				72 p	Troubleshoot.			
185				72 p	Establish/check reference RPM.			
186				72 p	Install helicoil.			
187				72 p	Extract broken stud.			
188				72 p	Check tappet clearance.			
189				72 p	Remove/install reduction gear.			
190				72 p	Check compression.			
191				73	Rig engine thrust lever			
192				73 p	Troubleshoot faulty system.			
193				73 p	Clean injector nozzles.			
194				73 p	Replace primer line.			
195				73 p	Install carburetor/injector.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
196				73 p	Adjust ABC.			
197				73 p	Replace engine driven pump.			
198				73 p	Adjust carburetor/injector.			
199				73 p	Adjust AMC.			
200				73 p	Check carburetor float setting.			
201				74 p	Check H.T. leads.			
202				74 p	Troubleshoot faulty system.			
203				74 p	Check system bonding.			
204				74 p	Install new leads.			
205				74 p	Test plugs.			
206				74 p	Change plugs.			
207				74 p	Change ignition vibrator.			
208				74 p	Change magneto.			
209				74 p	Check timing.			
210				76	Troubleshoot faulty system.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
211				76	Rig power lever.			
212				76	Check controls for correct assembly and locking.			
213				76	Rig thrust lever.			
214				76	Rig RPM control.			
215				76	Rig mixture HP cock lever.			
216				76	Check controls for range and sense of operation.			
217				77	Replace engine instruments.			
218				77	Replace oil temperature bulb.			
219				77	Check calibration.			
220				77	Troubleshoot faulty system.			
221				78 p	Inspect welded repair.			
222				78 p	Pressure check cabin heater muff.			
223				78 p	Replace exhaust gasket.			
224				78 p	Troubleshoot faulty system.			
225				79	Check filters.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
226				79	Perform oil dilution.			
227				79	Troubleshoot faulty system.			
228				79	Replace oil cooler.			
229				79	Replace oil pump.			
230				79	Change oil.			
231				79	Adjust pressure relief valve.			
232				79	Replace oil tank.			
233				79	Replace firewall shut off valve.			
234				80	Replace starter.			
235				80	Replace start relay.			
236				80	Replace start control valve.			
237				80	Check cranking speed.			
238				80	Troubleshoot faulty system.			
239				81	Replace waste gate.			
240				81	Adjust density controller.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis
241				81	Replace heat shields.			
242				81	Replace turbo-blower.			
243				81	Replace PRT.			
244				83	Replace drive shaft.			
245				83	Check chip detector.			
246				83	Replace gearbox.			
247				M 7. 1	Safety precautions when using fluids, gasses and chemicals.			
248				M 7. 6	Related safety practices.			
249				M 7.17	Awareness of hazards when working with A/C - noise,heat,moving surfaces,propellers,intakes,exhausts.			
250				M 7.18	Cleaning and contamination control			
251				M 7.19	Carry out turbulence check.			
252				M 7.20	Certification / release procedure.			

podpis kandidata:

zap. št.	datum	tip zrakoplova	registerska oznaka	ATA 100 Part 66	kratek opis opravila	način dela	tip vzdr. nadzornika	podpis

Primer pravilno izpolnjene vrstice

datum izvedbe	tip zrakoplova	registerska oznaka	ATA 100	kratek opis izvedene naloge	način dela	tip vzdr. nadzornika	podpis nadzornika
29.02.04	MG-21	S5-ZIJ	20	Composite structure inspection with coin tapping	I	B	Novak

20 - poglavje ATA 100

M7 - Part 66 modul

I - izvedba

O - opazovanje

L - linijsko vzdrževanje

B - vzdrževanje v bazi

OPOMBA:
Vsebina dnevnika je skladna z AMC 66.A.20(b)2.

podpis kandidata: